Schedule "A"

CARLETON CONDOMINIUM CORPORATION NO. 82 BY-LAW NO. 8

BE IT ENACTED as By-Law No. 8 (being a by-law to define standard units) of Carleton Condominium Corporation No. 82 (hereinafter referred to as the "Corporation") as follows:

ARTICLE I DEFINITIONS

All words used herein which are defined in the *Condominium Act*, 1998, or any successor, ('the Act') shall have ascribed to them the meanings set out in the Act as amended from time to time.

ARTICLE II GENERAL

- (1) The purpose of this by-law is to define the standard units in this condominium.
- (2) Where the materials or specifications set out in this by-law are uncertain or incomplete, the standard unit specifications and materials shall be consistent with "Builder's Standard" construction. In the case of any dispute as to what constitutes "Builder's Standard", a comparison shall be had to the quality of the particular feature being offered by builders of comparable construction at the time of the damage.
- (3) The standard unit does not include features which are part of the common elements. The Corporation's declaration determines which features are part of the common elements and which features are part of the units. To the extent that the attached schedules include features which are part of the common elements, they are included for reference and information purposes. They are not intended to be part of the standard unit.
- (4) Except as otherwise indicated in this by-law, the standard unit(s) shall include all features of the units mentioned in the declaration or shown in the description (including all registered architectural and structural drawings) of the condominium. In the case of any inconsistency between description and the schedules to this By-Law, the schedules to this By-Law shall prevail.
- (5) All replacement materials and re-construction shall conform to the current Ontario Building Code, Ontario Fire Code, Ontario Electrical Safety Code, current Municipal regulations and by-laws, and all applicable bulletins in force. If any component of the standard unit must be upgraded or changed in order to comply with any applicable governmental regulation or code or other law applicable to the repair of insured damage or destruction, the said upgrade or change shall be considered part of the standard unit despite not being clearly defined herein as being part of the standard unit.
- (6) Where the schedules to this By-Law refer to specific brands of equipment or materials, this shall be deemed to include equivalent brands.
- (7) In this condominium, there are five (5) different classes of standard units. Each class is based upon a different model of unit in this condominium. The standard unit for each class or model is defined and described further in the specifications contained in the schedule(s) indicated for the particular class. The classes and schedule(s) are as follows:

Class	Class Description	Units	Schedule(s)
Number			
1	One Bedroom Units – Types B, C, D, D-1, E & F	Units 4 and 5, Levels 2 to 4 inclusive; Units 1 and 8, Levels 2, 3 and 8; Unit 1, Levels 5 to 16 inclusive; Units 4, 6 and 9, Levels 5 to 13 inclusive; Units 5 and 8, Levels 14 to 16 inclusive; Unit 5, Levels 5 to 13 inclusive; Unit 4, Levels 14 to 25 inclusive; Unit 10, Levels 5 to 16 inclusive	1
2	Two Bedroom Units – Types A, A-1, O & P	Units 2, 3, 7 and 8, Levels 5 to 13 inclusive; Unit 1, Levels 17 to 25 inclusive	2
3	Three Bedroom Units – Types G & K	Unit 1, Level 1; Units 2, 3, 6 and 7, Level 2 to 4 inclusive; Unit 3, Level 14 to 15 inclusive; Units 3 and 5, Levels 17 to 25 inclusive	3
4	Single Penthouse Unit	Units 1 and 4, Level 26	4
5	Double Penthouse Unit	Units 2 and 3, Level 26	5

ARTICLE III MISCELLANEOUS

- (1) <u>Invalidity</u>: The invalidity of any part of this by-law shall not impair or affect in any manner the validity and enforceability or effect of the balance thereof.
- (2) Waiver. No restriction, condition, obligation or provision contained in this by-law shall be deemed to have been abrogated or waived by reason of any failure to enforce the same irrespective of the number of violations or breaches thereof which may occur.
- (3) <u>Headings</u>: The headings in the body of this by-law form no part thereof but shall be deemed to be inserted for convenience of reference only.

(4) <u>Alterations</u>: This by-law or any parts thereof may be varied, altered or repealed by a by-law passed in accordance with the provisions of the Act, and the Declaration.

The foregoing by-law is hereby passed by the Directors and confirmed by the owners pursuant to the Condominium Act, 1998 of Ontario.

DATED this 20th day of June, 2001.

CARLETON CONDOMINIUM CORPORATION NO. 82

NICOLAS MEZHER

Print Name: Prosident, CCC # 82

I have authority to bind the Corporation.

Version 5.3 - June 2005

All rights reserved.

This document was prepared by Nelligan O'Brien Payne LLP for CCC No. 82 based on a thorough review of all relevant documentation and the specific circumstances of this condominium. This document may not be appropriate for another condominium.

Please note: The form from which this document was prepared is regularly revised and updated.

Schedule "1" Carleton Condominium Corporation No. 82 Specifications - Class 1

UNIT DEFINITION

One Bedroom Units - Types B, C, D, D-1, E & F

Vestibule:

- Flooring standard weight carpeting installed ov er under padding on concrete slab 3" simple wood base, paintable grade, finished with 2 coats of latex paint Base
- Walls 1/2" gypsum board drywall finished with 2 coats of latex paint
- Cellings stipple finish on concrete slab sof fit

Entrance Closet;

- Flooring standard weight carpeting installed ov er under padding on concrete slab 3" plain wood base, paintable grade, f inished with 2 coats of latex paint Base
- Walls 1/2" gypsum board drywall finished with 2 coats of latex paint
- Cellings stipple finish on concrete slab sof fit

Living/Dining Room:

- standard weight carpeting installed, ov er under padding on concrete slab Flooring Base 3" plain wood base, paintable grade, f inished with 2 coats of latex paint
- 1/2" gypsum board drywall finished with 2 coats of latex paint Walls
- Ceilings stipple finish on concrete slab soffit

Kitchen:

- Flooring 12" square vinyl tile
- Cablnets particle board, face frame boxes with melamine finish, wood grain melamine doors, drawer boxes consist of particle board boxes with simple stapled butt joints
- 1/2" gypsum board drywall finished with 2 coats of latex paint Walls
- Ceilings stipple finish on concrete slab sof fit
- Westinghouse Continuous Clean 4-burner electric range with clock and timer Range 32" x 60" Westinghouse frost-free refrigerator with top-mounted freezer Refrigerator
- Glbson Dishwasher
- Exhaust Hood -Nutone, mechanical switches for fan and lights
- Countertop Standard grade laminate over particle board base

Bathroom:

- Flooring 1" ceramic tile
- particle board, face frame box with melamine finish, wood grain melamine doors Vanity
- 1/2" gypsum board drywall finished with 2 coats of latex paint
- Cellings stipple finish on concrete slab soffit

CCC 82 STANDARD UNIT DEFINITION

01872

Schedule "1" Carleton Condominium Corporation No. 82 Specifications - Class 1 (cont'd)

60" American Standard steel tub

American Standard basic 2-piece tollet American Standard steel lav atory insert

Lavatory -American Standard basic faucets and tub/shower set Plumbing -

4" single colour ceramic tile tub surround, top of tub to ceiling

particle board, face frame box with melamine finish, wood grain melamine Medicine Chest door.

Bedroom:

standard weight carpeting installed ov er under padding on concrete slab Flooring 3" plain wood base, paintable grade, finished with 2 coats of latex paint Base

1/2" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Cellings

Doors:

hollow core paintable slab doors finished with 2 coats of latex paint Room Doors double louvred bifold doors finished with 2 coats of latex paint

sliding panel doors with wood grain hardboard panels Closet Doors

standard grade brass - polished or antique f inish Hardware

Schedule "2" Carleton Condominium Corporation No. 82 Specifications – Class 2

2 Two Bedroom Units - Types A, A-1, O & P

Vestibule:

Flooring - standard weight carpeting installed over under padding on concrete slab
 Base - 3" simple wood base, paintable grade, f inished with 2 coats of latex paint

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab soffit

Entrance Closet:

Flooring
 Base
 Standard weight carpeting installed over under padding on concrete slab
 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Walls
 ½" gypsum board drywall finished with 2 coats of latex paint

· Cellings - stipple finish on concrete slab soffit

Living/Dining Room:

Flooring - standard weight carpeting installed over under padding on concrete slab
 Base - 3" plain wood base, paintable grade, finished with 2 coats of latex paint

• Walls - 1/2" gypsum board drywall finished with 2 coats of latex paint

Cellings stipple finish on concrete slab soffit

Kitchen:

Flooring - 12" square vlnyl tile

Cabinets — particle board, face frame boxes with melamine finish, wood grain melamine doors,

drawer boxes consist of particle board boxes with simple stapled butt joints

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab soffit

Range - Westinghouse Continuous Clean 4-burner electric range with clock and timer
Refrigerator - 32" x 60" Westinghouse frost-free refrigerator with top-mounted freezer

Dishwasher - Gibson

Exhaust Hood - Nutone, mechanical switches for fan and lights

Countertop - Standard grade laminate over particle board base

Bathroom:

· Flooring - 1" ceramic tile

Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

・ Walls - ¼" gypsum board drywall finished with 2 coats of latex paint

Ceillngs - stipple finish on concrete slab soffit

Tub
 Toilet
 Go" American Standard steel tub
 American Standard basic 2-piece toilet

Lavatory - American Standard steel lav atory insert

Plumbing - American Standard basic faucets and tub/shower set

Tile - 4" single colour ceram ic tile tub surround, top of tub to ceiling

 Medicine Chest - particle board, face frame box with melamine finish, wood grain melamine door

Schedule "2" Carleton Condominium Corporation No. 82 Specifications – Class 2 (cont'd)

Master Bedroom:

Flooring
 Base
 Standard weight carpeting installed over under padding on concrete slab
 Base
 Jain wood base, paintable grade, f inished with 2 coats of latex paint

• Walls - 1/2" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab soffit

Bedroom 1:

Flooring
 Base
 Standard weight carpeting installed ov er under padding on concrete slab
 Jain wood base, paintable grade, f inished with 2 coats of latex paint

Walls
 ½" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab sof fit

Doors:

Room Doors - hollow core paintable slab doors finished with 2 coats of latex paint

- double louvred bifold doors finished with 2 coats of latex paint

Closet Doors - sliding panel doors with wood grain hardboard panels

Hardware - standard grade brass - polished or antique f inish

Schedule "3" Carleton Condominium Corporation No. 82 Specifications - Class 3

Three Bedroom Units - Types G & K 3

Vestibule:

standard weight carpeting installed ov er under padding on concrete slab Flooring

3" simple wood base, paintable grade, finished with 2 coats of latex paint Base 1/2" gypsum board drywall finished with 2 coats of latex paint Walls

Cellings stipple finish on concrete slab soffit

Entrance Closet:

standard weight carpeting installed ov er under padding on concrete slab Flooring 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

1/2" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Cellings . -

Living/Dining Room:

standard weight carpeting installed ov er under padding on concrete slab Flooring

3" plain wood base, paintable grade, finished with 2 coats of latex paint Base

1/3" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Cellings

Kitchen:

12" square vinyl ille Flooring

particle board, face frame boxes with melamine finish, wood grain melamine doors, Cabinets

drawer boxes consist of particle board boxes with simple stapled butt joints

1/2" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Ceilings

Westinghouse Continuous Clean 4-burner electric range with clock and timer Range

32" x 60" Westinghouse frost-free refrigerator with top-mounted freezer Refrigerator

Glbson Dishwasher

Nutone, mechanical switches for fan and lights Exhaust Hood -

Standard grade laminate over particle board base Countertop

Master Bathroom:

Flooring

particle board, face frame box with melamine finish, wood grain melamine doors Vanity

1/2" gypsum board drywell finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Callings 60" American Standard steel tub Tub

American Standard basic 2-piece tollet Tollet American Standard steel lav atory insert Lavatory

American Standard basic faucets and tub/shower set Plumbing

4" single colour ceramic tile tub surround, top of tub to celling

particle board, face frame box with melamine finish, wood grain melamine Medicine Chest

Bathroom 1:

Flooring

particle board, face frame box with melamine finish, wood grain melamine doors Vanity

1/2" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Cellings 60" American Standard steel tub Tub

American Standard basic 2-piece toilet Tollet

Schedule "3" Carleton Condominium Corporation No. 82 Specifications - Class 3 (cont'd)

American Standard steel lav atory Insert Lavatory

American Standard basic faucets and tub/shower set

4" single colour ceramic tile tub surrbund, top of tub to ceiling

particle board, face frame box with melamine finish, wood grain melamine Medicine Chest

Master Bedroom:

standard weight carpeting installed ov er under padding on concrete slab Flooring 3" plain wood base, paintable grade, f inished with 2 coats of latex paint Base

1/2" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab sof fit Cellings

Bedroom 1:

standard weight carpeting installed ov er under padding on concrete slab Flooring

3" plain wood base, paintable grade, f inished with 2 coats of latex paint Base

1/2" gypsum board drywall finished with 2 coats of latex paint

stipple finish on concrete slab sof,fit, Ceilings

Bedroom 2:

standard weight carpeting installed ov er under padding on concrete slab Flooring 3" piain wood base, paintable grade, f inished with 2 coats of latex paint

Base

1/2" gypsum board drywall finished with 2 coats of latex paint Walls

stipple finish on concrete slab soffit Cellings

Doors:

hollow core paintable slab doors finished with 2 coats of latex paint Room Doors

double louvred bifold doors finished with 2 coats of latex paint

sliding panel doors with wood grain hardboard panels Closet Doors

standard grade brass - pollshed or antique f inish Hardware

Schedule "4" Carleton Condominium Corporation No. 82 Specifications – Class 4

4 Single Penthouse Unit

Vestibule:

Flooring
 Base
 Simple wood base, paintable grade, f inished with 2 coats of latex paint

Walls
 ½" gypsum board drywall finished with 2 coats of latex paint

· Cellings - stipple finish on concrete slab soffit

Entrance Closet:

Flooring - standard weight carpeting installed over under padding on concrete slab
 Base - 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab soffit

Living/Dining Room:

Flooring
 Base
 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Cellings - stipple finish on concrete slab soffit

Kitchen:

Flooring - Linoleum flooring

Cabinets - Melamine frameless cabinets with plastic k nobs

Walls - ¼" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab sof fit

Range - Westinghouse Continuous Clean 4-burner electric range with clock and timer

Refrigerator - Moffat Epicure
Dishwasher - Kitchen Aid

Countertop - Standard grade laminate over particle board base

Exhaust Hood - Nutone, mechanical switches for fan and lights

Master Bathroom:

Flooring - 1" ceramic tile

Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab sof fit
 Tub - 60" American Standard steel tub
 Toilet - American Standard basic 2-place toll

Toilet - American Standard basic 2-place tollet
 Lavatory - American Standard steel lavatory insert

Plumbing - American Standard basic faucets and tub/shower set

Tille - 4" single colour ceramic tile tub surround, top of tub to celling

Medicine Chest
 particle board, face frame box with melamine finish, wood grain melamine

Schedule "4" Carleton Condominium Corporation No. 82 Specifications – Class 4 (cont'd)

Bathroom 1:

Flooring - 1" ceramic tile

· Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab soffit

Tub
 Tollet
 Lavatory
 Tub
 Control American Standard steel tub
 American Standard basic 2-piece tollet
 American Standard steel lavatory insert

· Plumbing - American Standard basic faucets and tub/shower set

Tile - 4" single colour ceramic tile tub surround, top of tub to ceiling

- Medicine Chest - particle board, face frame box with melamine finish, wood grain melamine door

Master Bedroom:

Fiooring
 Base
 standard weight carpeting installed over under padding on concrete stab
 3" plain wood base, paintable grade, finished with 2 coats of latex paint

Walls ypsum board drywell finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab sof fit

Bedroom 1:

Flooring standard weight carpeting installed over under padding on concrete slab

Base 3" plain wood base, paintable grade, finished with 2 coats of latex paint

Walls - ⅓ gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab sof fit

Bedroom 2:

Flooring - standard weight carpeting installed ov er under padding on concrete slab
 Base - 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

■ Walls — "%" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab sof fit

Laundry Room:

Flooring - 1" ceramic tile

Walls
 ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - dropped tile ceiling

Cabinets - Melanie cabinets with countertops

Doors:

Room Doors
 hollow core paintable slab doors finished with 2 coats of latex paint
 double louvred bifold doors finished with 2 coats of latex paint

Closet Doors
 Hardware
 sliding panel doors with wood grain hardboard panels
 standard grade brass - polished or antique f inish

Schedule "5" Carleton Condominium Corporation No. 82 Specifications – Class 5

5 Double Penthouse Unit

Vestibule:

Flooring
 Base
 standard weight carpeting installed ov er under padding on concrete slab
 3" simple wood base, paintable grade, f inished with 2 coats of latex paint

Walls - ' ½" gypsum board drywall finished with 2 coats of latex paint

· Ceilings - stipple finish on concrete slab sof fit

Entrance Closet:

Flooring - standard weight carpeting installed over under padding on concrete slab
 Base - 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

• Walls - 1/2" gypsum board drywall finished with 2 coats of latex paint

· Ceilings - stipple finish on concrete slab soffit

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab sof fit
 Tub - 60" American Standard steel tub

Tollet — American Standard basic 2-piece toilet

Lavatory solid one piece solid surface integral lavatory and countertop

Plumbing — American Standard basic faucets and tub/shower set

Tile 4" single colour ceram ic tile tub surround, top of tub to ceiling

 Medicine Chest - particle board, face frame box with melamine finish, wood grain melamine door

Bathroom 2:

Flooring - 6" ceramic tile

Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab soffit
 Tub - 60" American Standard steel tub

Toilet - American Standard basic 2-piece toilet

Lavatory - solid one piece solid surface integral lavatory and countertop

Plumbing - American Standard basic faucets and tub/shower set

Tile - 4" single colour ceram ic tile tub surround, top of tub to ceiling

 Medicine Chest - particle board, face frame box with melamine finish, wood grain melamine door

Bathroom 3:

· Flooring - 6" ceramic tile

Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab soffit

Tub - walk-in shower with ceramic tile wall covering floor to celling

Tollet - American Standard basic 2-piece tollet

· Lavatory - solid one piece solid surface integral lavatory and countertop

Plumbing - American Standard basic faucets and tub/shower set

Tile - 4" single colour ceram ic tile tub surround, top of tub to celling

 Medicine Chest - particle board, face frame box with melamine finish, wood grain melamine door

Master Bedroom A:

Flooring — parquet wood flooring

Base 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Walls ypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab sof fit

Schedule "5" Carleton Condominium Corporation No. 82 Specifications – Class 5 (cont'd)

Bedroom 1:

Flooring
 Base
 standard weight carpeting installed over under padding on concrete slab
 plain wood base, paintable grade, f inished with 2 coats of latex paint

• Walls - ½" gypsum board drywall finished with 2 coats of latex paint

· Ceilings - stipple finish on concrete slab sof fit

Living/Dining Room:

· Flooring - parquet wood flooring

Base 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Walls - ½" gypsum board drywall finished with 2 coats of latex paint
 Ceilings - stipple finish on concrete slab sof fit, with 6" cove plaster trim

Den 1:

Flooring - tile mosaic floor

Base
 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Walls - rosewood panel walls

Ceilings - stipple finish on concrete slab sof fit

Den 2:

Flooring - tile mosaic floor

Base
 3" plain wood base, paintable grade, f inished with 2 coats of letex paint

Walls - rosewood panel walls

Ceilings - stipple finish on concrete slab sof fit

Extra - bullt-in wet bar and fridge

Kitchen:

Flooring - 4" tile flooring

· Cabinets - Melamine frameless cabinets with brass knobs

Walls - 4" wall tiles

· Cellings - stipple finish on concrete slab sof fit

Range - Thermador double over
 Refrigerator - Moffat Epicure
 Dishwasher - Kitchen Ald

Countertop - Standard grade laminate over particle board base

Exhaust Hood - Nutone, mechanical switches for fan and lights.

Master Bathroom:

· Flooring - 4" x 8" ceramic tile

Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

Walls - ½" gypsum board drywall finished with 2 coats of latex paint

Ceilings - stipple finish on concrete slab sof fit
 Tub - 60" American Standard steel tub
 Tollet - American Standard basic 2-plece tollet

· Lavatory - solid one piece solid surface integral lavatory and countertop

Plumbing - American Standard basic faucets and tub/shower set

Tile - 4" single colour ceramic tile tub surround, top of tub to ceiling

Medicine Chest - particle board, face frame box with melamine finish, wood grain melamine door

Bathroom 1:

· Flooring - 6" ceramic tile

Vanity - particle board, face frame box with melamine finish, wood grain melamine doors

Schedule "5" Carleton Condominium Corporation No. 82 Specifications – Class 5 (cont'd)

Master Bedroom B:

Flooring - parquet wood flooring

Base 3" plain wood base, paintable grade, f inished with 2 coats of latex paint

Walls 2 1/2" gypsum board drywall finished with 2 coats of latex paint

Cellings - stipple finish on concrete slab soffit

Laundry Room:

Flooring - 1" ceramic tile

Wells - ½" gypsum board drywall finished with 2 coats of latex paint

Cellings dropped tile celling

Cabinets - Melamine cabinets with countertops

Doors:

Room Doors - hollow core paintable slab doors finished with 2 coats of latex paint

double louvred blfold doors finished with 2 coats of latex paint

Closet Doors - sliding panel doors with wood grain hardboard panels

Hardware - standard grade brass - polished or antique f inish